# Chemical Safety Data Sheet MSDS / SDS

# Triphenylphosphine

Revision Date:2024-04-20 Revision Number:1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product identifier**

Product name	: Triphenylphosphine
CBnumber	: CB8771461
CAS	: 603-35-0
EINECS Number	: 210-036-0
Synonyms	: PPH3, Triphenylphosphine
Relevant identified uses of the	substance or mixture and uses advised against
Relevant identified uses	: For R&D use only. Not for medicinal, household or other use.
Relevant identified uses Uses advised against	: For R&D use only. Not for medicinal, household or other use. : none
Uses advised against	

Telephone	: 400-158-6606

# SECTION 2: Hazards identification

### GHS Label elements, including precautionary statements

Symbol(GHS)



Signal word

Warning

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see ... on this label).

P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention.

### Hazard statements

H302 Harmful if swallowed

H317 May cause an allergic skin reaction

H373 May cause damage to organs through prolonged or repeated exposure

### Substance

Product name	: Triphenylphosphine
Synonyms	: PPH3, Triphenylphosphine
CAS	: 603-35-0
EC number	: 210-036-0
MF	: C18H15P
MW	: 262.29

# SECTION 4: First aid measures

### Description of first aid measures

#### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### **Extinguishing media**

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### Special hazards arising from the substance or mixture

Carbon oxides Oxides of phosphorus

### Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### **Further information**

### NFPA 704

	$\wedge$		
	1	×	
2	X	0	
	$\backslash$	X	

HEALTH	2	Intense or continued but not chronic exposure could cause temporary incapacitation or possible residual injury (e.g. <u>diethyl</u> <u>ether</u> , ammonium phosphate, iodine)
FIRE	1	Materials that require considerable preheating, under all ambient temperature conditions, before ignition and combustion can occur. Includes some finely divided suspended solids that do not require heating before ignition can occur. Flash point at or above 93.3 °C (200 °F). (e.g. mineral oil, ammonia)
REACT	0	Normally stable, even under fire exposure conditions, and is not reactive with water (e.g. helium, N2)
SPEC. HAZ.		

# SECTION 6: Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### **Reference to other sections**

For disposal see section 13.

# SECTION 7: Handling and storage

### Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

### Advice on protection against fire and explosion

Provide appropriate exhaust ventilation at places where dust is formed.

#### **Hygiene measures**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.

### Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

#### Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

### control parameter

#### Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

#### Exposure controls

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:Dermatril? (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full- face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# SECTION 9: Physical and chemical properties

### Information on basic physicochemical properties

Appearance	white crystalline
Odour	odorless
Odour Threshold	No data available
рН	No data available
Melting point/freezing point	point/range: 79 - 81 °C - lit.
Initial boiling point and boiling range	377 °C - lit.
Flash point	180 °C - closed cup
Evaporation rate	No data available
Flammability (solid, gas)	The product is not flammable Flammability (solids)
Upper/lower flammability or explosive	No data available
limits	
Vapour pressure	< 0,1 hPa at 25 °C - OECD Test Guideline 104
Vapour density	9,06 - (Air = 1.0)
Relative density	1,19 at 25 °C
Water solubility	0,00017 g/l at 22 °C - Regulation (EC) No. 440/2008, Annex, A.6
Partition coefficient: n-octanol/water	No data available
Autoignition temperature	425 °C at 983 hPa - Relative self-ignition temperature for solids
Decomposition temperature	No data available
Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
Explosive properties	No data available
Oxidizing properties	No data available

### Other safety information

Relative vapor density

9,06 - (Air = 1.0)

# SECTION 10: Stability and reactivity

### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

### Possibility of hazardous reactions

No data available

Conditions to avoid

No data available

### Incompatible materials

Oxidizing agents

Hazardous decomposition products

In the event of fire: see section 5

# SECTION 11: Toxicological information

### Information on toxicological effects

## Acute toxicity

LD50 Oral - Rat - 700 mg/kg Remarks: (ECHA) LC50 Inhalation - Rat - male - 4 h - 12,5 mg/l Remarks: (ECHA) LD50 Dermal - Rabbit - male and female - > 4.000 mg/kg Remarks: Limit Test (ECHA) Skin corrosion/irritation Skin - Rabbit Result: No skin irritation - 20 h Remarks: (ECHA) Serious eye damage/eye irritation Eyes - Rabbit Result: Causes serious eye damage. Remarks: (ECHA) Respiratory or skin sensitization (Regulation (EC) No. 440/2008, Annex, B.6) Germ cell mutagenicity Ames test S. typhimurium Result: negative Remarks: (ECHA) In vitro mammalian cell gene mutation test Chinese hamster ovary cells Result: negative Mutagenicity (mammal cell test): micronucleus. Chinese hamster lung cells Result: negative Remarks:

#### (ECHA)

Mouse - male and female - Bone marrow Result: negative

#### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

No data available

#### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Central nervous system, Peripheral nervous system

#### Aspiration hazard

No data available

#### Toxicity

LD50 orally in Rabbit: 700 mg/kg LD50 dermal Rabbit > 4000 mg/kg

# SECTION 12: Ecological information

### Toxicity

#### Toxicity to fish

static test LC50 - Leuciscus idus (Golden orfe) - > 10.000 mg/l - 96 h

(OECD Test Guideline 203)

#### Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - > 5 mg/l - 48 h (OECD Test Guideline 202)

Remarks: (above the solubility limit in the test medium)

### Toxicity to algae

static test NOEC - Desmodesmus subspicatus (green algae) - > 5 mg/l - 72 h (OECD Test Guideline 201) Remarks: (above the solubility limit in the test medium)

static test ErC50 - Desmodesmus subspicatus (green algae) - > 5 mg/l - 72 h

(OECD Test Guideline 201)

Remarks: (above the solubility limit in the test medium)

#### Toxicity to bacteria

static test EC50 - Pseudomonas putida - > 10.000 mg/l - 0,5 h (DIN 38412)

### Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: < 20 % - Not biodegradable. (OECD Test Guideline 301F)

### **Bioaccumulative potential**

### Mobility in soil

No data available

### Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### Other adverse effects

No data available

# SECTION 13: Disposal considerations

### Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or

mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

### **UN number**

ADR/RID: - IMDG: - IATA: -

### UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

### Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

### Packaging group

ADR/RID: - IMDG: - IATA: -

### **Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

### Special precautions for user

### **Further information**

Not classified as dangerous in the meaning of transport regulations.

# SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Regulations on the Safety Management of Hazardous Chemicals** 

China Catalog of Hazardous chemicals 2015:Listed. website: https://www.mem.gov.cn/

Measures for Environmental Management of New Chemical Substances

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: https://www.mee.gov.cn/ EC Inventory:Listed.

European Inventory of Existing Commercial Chemical Substances (EINECS):Listed. website: https://echa.europa.eu/

Korea Existing Chemicals List (KECL):Listed. website: http://ncis.nier.go.kr

New Zealand Inventory of Chemicals (NZIoC):Listed. website: https://www.epa.govt.nz/

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: https://emb.gov.ph/

United States Toxic Substances Control Act (TSCA) Inventory:Listed. website: https://www.epa.gov/

Vietnam National Chemical Inventory:Listed. website: https://chemicaldata.gov.vn/

# **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road CAS: Chemical Abstracts Service EC50: Effective Concentration 50% IATA: International Air Transportation Association IMDG: International Maritime Dangerous Goods LC50: Lethal Concentration 50% LD50: Lethal Dose 50% RID: Regulation concerning the International Carriage of Dangerous Goods by Rail STEL: Short term exposure limit TWA: Time Weighted Average

#### References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- [3] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [4] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

- [5] ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- [6] Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- [7] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [8] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/

[9] IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

[10] Sigma-Aldrich, website: https://www.sigmaaldrich.com/

### **Other Information**

Isolate contaminated clothing by sealing in a bag or other container.Do NOT take working clothes home.

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.