

# MATERIAL SAFETY DATA SHEET

**Product name**

Brown Fused Alumina

---

**Manufacturer**

Zhengzhou HAIXU Abrasives Co.,Ltd

Room 1409,no.1 building,Lvdi international center,daxue south road,erqi district,zhengzhou city,henan province,China

**Telephone:**+86-371-60900389

**Fax:**+86-371-60305637

**Emergency Telephone Number** +86-13526538098

---

**Composition/information on ingredients**

Alumina	95%
---------	-----

---

**Hazards identification**

Not hazardous. The product is inert, so it does not form any explosive or flammable blend. As with all dusts, inhalation should be avoided.

**First-aid measures**

First Aid – Eyes	Treat symptomatically for mechanical irritation. Flush lightly with clean water.
------------------	--

First Aid – Skin	Powder may cause drying of the skin with repeated or prolonged contact. Wash with soap and water.
------------------	---

First Aid – Ingestion	Rinse mouth out with water.
-----------------------	-----------------------------

First Aid – Inhalation	Temporary discomfort to upper respiratory tract may occur due to inhalation of high dust levels. Remove to fresh air.
------------------------	---

If any symptoms develop, seek medical aid.

---

**Fire-fighting measures**

Non flammable and not explosive – no special precautions necessary. Skin Contact

---

**Accidental release measures**

Collect dry powder using a vacuum cleaner or other means where dust is not generated.

---

### Handling and storage

Handling	Appropriate controls should be used to avoid generating dust when handling dry powders.
Storage	Powders should be stored at ambient temperature in a dry covered area. The product should be stored in sealed bags, away from humidity in a well ventilated area if possible.

---

### Exposure controls/Personal protection

Respiratory protection	Use appropriate engineering controls to avoid dust generation when handling powders. Ensure that all occupational exposure standards are observed.
Skin protection	Substance may have a drying effect on the skin. Maintain good standards of industrial hygiene.
Eye protection	Eyewash should be available, eye protection is recommended.

---

### Physical and Chemical Properties:

Physical and chemical properties

Form:	powder
Odour:	odourless
Melting point	NA
Boiling point:	NA
Explosive properties	None
Relative density	3.95

---

### Stability and reactivity

Conditions to avoid	Protect against moisture
Material to avoid	None known
Hazardous decomposition products	None known

---

### Toxicological information

Inhalation	Temporary discomfort or mechanical irritation to the upper respiratory tract may occur due to inhalation of high dust concentrations. No acute effects expected
Skin contact	No determined toxicological effects.
Ingestion	No determined toxicological effects.
Eyes	High dust concentrations may cause mechanical irritation.
Alpha Alumina	4 ( OES ) Respirable
Titanium Dioxide	4 ( OES ) Respirable

### Ecological information

---

Environmental Statement Brown Fused Alumina is persistent and non-biodegradable but is unlikely to have any long term effect on the environment.

Mobility           olid. Involatile. Insoluble in water

Degradability    Non-biodegradable. Persistent.

Accumulation    No bio-accumulation or bio-magnification identified.

---

#### **Waste disposal information**

Brown Fused Alumina may be disposed of as non toxic/inactive materials in approved landfill sites in accordance with local regulations.

---

#### **Transport information**

Brown Fused Alumina is not classified as dangerous for transportation under EU or UK national regulations. No special precautions are required.

---

#### **Regulatory information**

Brown Fused Alumina is not classified as dangerous to supply under EU or UK national regulations.

---

#### **Other information**

The information provided in this safety data sheet is correct to the best of our knowledge information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, postrecession, storage, transmigration, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and is not valid for sun material used in combination with any other materials or in any process.

郑州市海旭磨料有限公司  
ZHENGZHOU HAIXU ABRASIVES CO., LTD