

Chemical Safety Data Sheet MSDS / SDS

1,3-Dichloro-1,3,5-triazine-2,4,6(1H,3H,5H)-trione sodium salt dihydrate

Revision Date:2025-05-03 Revision Number:1

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product identifier**

Product name : 1,3-Dichloro-1,3,5-triazine-2,4,6(1H,3H,5H)-trione sodium salt dihydrate
CBnumber : CB5315444
CAS : 51580-86-0
EINECS Number : 610-700-3
Synonyms : Sodium dichloroisocyanurate dihydrate,Troclosene sodium

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.
Uses advised against : none

Company Identification

Company : Chemicalbook
Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing
Telephone : 010-86108875

SECTION 2: Hazards identification**GHS Label elements, including precautionary statements**

Symbol(GHS)



Signal word

Warning

Precautionary statements

P501 Dispose of contents/container to.....

P391 Collect spillage. Hazardous to the aquatic environment

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P273 Avoid release to the environment.

Hazard statements

H410 Very toxic to aquatic life with long lasting effects

H335 May cause respiratory irritation

H319 Causes serious eye irritation

H302 Harmful if swallowed

SECTION 3: Composition/information on ingredients

Substance

| | |
|--------------|--|
| Product name | : 1,3-Dichloro-1,3,5-triazine-2,4,6(1H,3H,5H)-trione sodium salt dihydrate |
| Synonyms | : Sodium dichloroisocyanurate dihydrate,Troclosene sodium |
| CAS | : 51580-86-0 |
| EC number | : 610-700-3 |
| MF | : C3H4Cl2N3NaO4 |
| MW | : 239.97 |

SECTION 4: First aid measures

Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Hydrogen chloride gas Sodium oxides

Not combustible.

Avoid shock and friction. Risk of dust explosion.

Ambient fire may liberate hazardous vapours.

In the event of decomposition: danger of explosion!

Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal. Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

For precautions see section 2.2.

Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Do not store near acids.

Store under inert gas. Moisture sensitive.

Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

control parameter

Hazard composition and occupational exposure limits

Does not contain substances with occupational exposure limits.

Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested:KCL 741 Dermatrill? L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: 480 min

Material tested:KCL 741 Dermatrill? L

Body Protection

protective clothing

Respiratory protection

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

| | |
|--|---|
| Appearance | white solid |
| Odour | weakly of hydrochloric acid |
| Odour Threshold | No data available |
| pH | 6 at 10 g/l at 20 °C |
| Melting point/freezing point | Melting point/range: 240 - 250 °C |
| Initial boiling point and boiling range | No data available |
| Flash point | No data available |
| Evaporation rate | No data available |
| Flammability (solid, gas) | The product is not flammable. - Flammability (solids) |
| Upper/lower flammability or explosive limits | No data available |
| Vapour pressure | < 0,006 hPa at 20 °C - (anhydrous substance) |
| Vapour density | No data available |
| Relative density | No data available |
| Water solubility | 236,8 g/l at 25 °C - US-EPA- completely soluble |
| Partition coefficient: n-octanol/water | No data available |
| Autoignition temperature | No data available |
| Decomposition temperature | 240 °C - (anhydrous) |
| Viscosity | Viscosity, kinematic: No data available Viscosity, dynamic: No data available |
| Explosive properties | Explosive when dry., Risk of explosion if heated under confinement. |
| Oxidizing properties | No data available |

Other safety information

No data available

SECTION 10: Stability and reactivity

Reactivity

sensitive to shock sensitive to shock
Contact with acids liberates toxic gas.

Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with: combustible substances

Organic Substances

A risk of explosion and/or of toxic gas formation exists with the following substances:

Ammonia urea

ammonium compounds Bases

acids

Generates dangerous gases or fumes in contact with: Acids

Generates dangerous gases or fumes in contact with: Acids

Conditions to avoid

no information available

Strong heating (decomposition).

Incompatible materials

No data available

Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 1.823 mg/kg (US-EPA)

LC50 Inhalation - Rat - male and female - 4 h - 0,27 - 1,17 mg/l (OECD Test Guideline 403)

Inhalation: Irritating to respiratory system.

LD50 Dermal - Rat - male and female - > 5.000 mg/kg (US-EPA)

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Causes serious eye irritation. (ECHA)

Respiratory or skin sensitization

(OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471

Result: negative

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells

Metabolic activation: with and without metabolic activation Method: Regulation (EC) No. 440/2008, Annex, B.19 Result: negative

Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation Method: Regulation (EC) No. 440/2008, Annex, B.17 Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Species: Rat

Cell type: Bone marrow Application Route: Oral

Method: OECD Test Guideline 475 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Toxicity

LD50 orally in Rabbit: 550 - 1600 mg/kg LD50 dermal Rabbit > 5000 mg/kg

SECTION 12: Ecological information

Toxicity

Toxicity to fish

static test LC50 - *Menidia beryllina* (Inland silverside) - 8.000 mg/l - 96 h
(US-EPA)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - *Daphnia magna* (Water flea) - > 1.000 mg/l - 48 h Remarks: (ECHA)

Toxicity to algae

static test ErC50 - *Skeletonema costatum* - > 100 mg/l - 72 h (ISO 10253)

Toxicity to bacteria

EC50 - activated sludge - > 4.500 mg/l - 3 h
(OECD Test Guideline 209)

Persistence and degradability

Biodegradability aerobic - Exposure time 8 h

Result: 100 % - Readily biodegradable. Remarks: (ECHA)

Bioaccumulative potential

No data available

Mobility in soil

No data available

Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other adverse effects

No data available

SECTION 13: Disposal considerations

Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

UN number

ADR/RID: 3077 IMDG: 3077 IATA: 3077

UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (troclosene sodium, dihydrate)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (troclosene sodium, dihydrate)

IATA: Environmentally hazardous substance, solid, n.o.s. (troclosene sodium, dihydrate)

Transport hazard class(es)

ADR/RID: 9 IMDG: 9 IATA: 9

Packaging group

ADR/RID: III IMDG: III IATA: III

Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

Special precautions for user

Further information

EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packagings and combination packagings containing inner packagings with Dangerous Goods > 5L for liquids or > 5kg for solids. Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations on the Safety Management of Hazardous Chemicals

China Catalog of Hazardous chemicals 2015: Not Listed. website: <https://www.mem.gov.cn/>

Measures for Environmental Management of New Chemical Substances

United States Toxic Substances Control Act (TSCA) Inventory:Not Listed. website: <https://www.epa.gov/>

Korea Existing Chemicals List (KECL):Not Listed. website: <http://ncis.nier.go.kr>

European Inventory of Existing Commercial Chemical Substances (EINECS):Not Listed. website: <https://echa.europa.eu/>

EC Inventory:Not Listed.

Vietnam National Chemical Inventory:Listed. website: <https://chemicaldata.gov.vn/>

Philippines Inventory of Chemicals and Chemical Substances (PICCS):Listed. website: <https://emb.gov.ph/>

New Zealand Inventory of Chemicals (NZIoC):Listed. website: <https://www.epa.govt.nz/>

Chinese Chemical Inventory of Existing Chemical Substances (China IECSC):Listed. website: <https://www.mee.gov.cn/>

SECTION 16: Other information

Abbreviations and acronyms

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

CAS: Chemical Abstracts Service

EC50: Effective Concentration 50%

IATA: International Air Transportation Association

IMDG: International Maritime Dangerous Goods

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit

TWA: Time Weighted Average

References

【1】 CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>

【2】 ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

【3】 ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

【4】 eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website:
http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en

【5】 ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

【6】 Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>

【7】 HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>

【8】 IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>

【9】 IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>

【10】 Sigma-Aldrich, website: <https://www.sigmaaldrich.com/>

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.