Chemical Safety Data Sheet MSDS / SDS

DIMETHYLZINC

Revision Date: 2025-02-01 Revision Number: 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product name : DIMETHYLZINC
CBnumber : CB5353482
CAS : 544-97-8
EINECS Number : 208-884-1

Synonyms : dimethylzinc,methylzinc

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : For R&D use only. Not for medicinal, household or other use.

Uses advised against : none

Company Identification

Company : Chemicalbook

Address : Building 1, Huihuang International, Shangdi 10th Street, Haidian District, Beijing

Telephone : 010-86108875

SECTION 2: Hazards identification

Classification of the substance or mixture

Pyrophoric liquids, Category 1

Substances and mixtures, which in contact with water, emit flammable gases, Category 1

Skin corrosion, Sub-category 1B

Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1

Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1

Label elements

Pictogram(s)

....

Signal word Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapour

H250 Catches fire spontaneously if exposed to air

H252 Self-heating in large quantities; may catch fire

H260 In contact with water releases flammable gases which may ignite spontaneously

1

H261 In contact with water releases flammable gas

H304 May be fatal if swallowed and enters airways

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H336 May cause drowsiness or dizziness

H373 May cause damage to organs through prolonged or repeated exposure

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

P222 Do not allow contact with air.

P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P231+P232 Handle under inert gas. Protect from moisture.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off Immediately all contaminated clothing. Rinse SKIN with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continuerinsing.

P370+P378 In case of fire: Use ... for extinction.

P405 Store locked up.

P422 Store contents under ...

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P222 Do not allow contact with air.

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P231+P232 Handle and store contents under inert gas/....Protect from moisture.

P223 Do not allow contact with water.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P273 Avoid release to the environment.

Response

P302+P334 IF ON SKIN: Immerse in cool water or wrap in wet bandages.

P370+P378 In case of fire: Use ... to extinguish.

P302+P335+P334 IF ON SKIN: Brush off loose particles from skin. Immerse in cool water [or wrap in wet bandages].

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P363 Wash contaminated clothing before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P316 Get emergency medical help immediately.

P321 Specific treatment (see ... on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P391 Collect spillage

Storage

P402+P404 Store in a dry place. Store in a closed container.

P405 Store locked up.

Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Other hazards

no data available

SECTION 3: Composition/information on ingredients

Substance

Product name : DIMETHYLZINC

Synonyms : dimethylzinc,methylzinc

CAS : 544-97-8
EC number : 208-884-1
MF : C2H6Zn
MW : 95.46

SECTION 4: First aid measures

Description of first aid measures

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

Following skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

Following eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

Following ingestion

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

Most important symptoms and effects, both acute and delayed

Inhalation of mist or vapor causes immediate irritation of upper respiratory tract. Excessive or prolonged inhalation of fumes from ignition or decomposition may cause "metal fume fever" (sore throat, headache, fever, chills, nausea, vomiting, muscular aches, perspiration, constricting sensation in lungs, weakness, sometimes prostration). Symptoms usually last 12-24 hrs. Eyes are immediately and severely irritated by liquid, vapor, or dilute solutions. If not removed by thorough flushing with water, chemical may permanently damage cornea. Skin will undergo thermal and acid burns when chemical reacts with moisture in skin. Unless washed quickly, skin may be scarred. Treat dilute solutions with same precautions as concentrated liquid. Ingestion, while unlikely, would cause immediate burns at site of contact. Nausea, vomiting, cramps, and diarrhea may follow. Tissues may ulcerate if not treated. (USCG, 1999)

no data available

SECTION 5: Firefighting measures

Extinguishing media

Extinguish with dry graphite, soda ash, or other inert powder. do not use water, foam, carbon dioxide, dry chemicals, or vaporizing liq on fire.


Specific Hazards Arising from the Chemical

Special Hazards of Combustion Products: Smoke contains zinc oxide, which can irritate lungs and cause metal fume fever. Behavior in Fire: Reacts spontaneously with air or oxygen and violently with water, evolving methane. Contact with water applied to adjacent fires will intensify fire. (USCG, 1999)

Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

NFPA 704



SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

SECTION 7: Handling and storage

Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

SECTION 8: Exposure controls/personal protection

Control parameters

Occupational Exposure limit values

no data available

Biological limit values

no data available

Exposure controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the riskelimination area.

Individual protection measures

Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

Skin protection

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Respiratory protection

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

Thermal hazards

no data available

SECTION 9: Physical and chemical properties

Information on basic physicochemical properties

Physical state	liquid
Colour	colorless
Odour	no data available
Melting point/freezing point	-42°C
Boiling point or initial boiling point and	46°C
boiling range	
Flammability	no data available
Lower and upper explosion	no data available
limit/flammability limit	
Flash point	30?°F
Auto-ignition temperature	0° F (USCG, 1999)
Decomposition temperature	no data available
рН	no data available
Kinematic viscosity	0.807 cP at 70 deg F
Solubility	SOL IN XYLENE
Partition coefficient n-octanol/water	no data available
Vapour pressure	vapor pressure = 376 mm Hg @ 25 deg C
Density and/or relative density	1.38
Relative vapour density	Saturated vapor density= 0.10090 lb/cu ft @ 70 deg C
Particle characteristics	no data available

SECTION 10: Stability and reactivity

Reactivity

Highly flammable. Ignites in air and burns with a blue flame giving off a peculiar garlicky odor. Explodes in oxygen or ozone. Reacts violently with water to generate methane [Merck, 11th ed., 1989; Brauer(1965)]. Very slow oxidation with traces of air to give methylzinc methylate.

Chemical stability

Stable in sealed tube and under carbon dioxide

Possibility of hazardous reactions

Ignites in air (owing to peroxide formation) ...DIMETHYLZINC is very reactive, acts as a strong reducing agent. Combines with acids, with alcohols (methanol, ethanol), and 2-2-dichloropropane as well as with water with explosive violence. When heated to decomposition emits toxic fumes of zinc oxide [Bretherick, 5th ed., 1995, p. 354]. Oxidants may yield peroxide formation, which is explosive.

Conditions to avoid

no data available

Incompatible materials

Reacts spontaneously with air or oxygen & violently with water, evolving methane.

Hazardous decomposition products

SECTION 11: Toxicological information

Acute toxicity

• Oral: no data available

• Inhalation: no data available

• Dermal: no data available

Skin corrosion/irritation

no data available

Serious eye damage/irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

STOT-single exposure

no data available

STOT-repeated exposure

no data available

Aspiration hazard

no data available

SECTION 12: Ecological information

Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

SECTION 13: Disposal considerations

Disposal methods

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

SECTION 14: Transport information

UN Number

ADR/RID: UN3394 (For reference only, please check.)

IMDG: UN3394 (For reference only, please check.)

IATA: UN3394 (For reference only, please check.)

UN Proper Shipping Name

ADR/RID: ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER- REACTIVE (For reference only, please check.)

IMDG: ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER- REACTIVE (For reference only, please check.)

IATA: ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER- REACTIVE (For reference only, please check.)

Transport hazard class(es)

ADR/RID: 4.2 (For reference only, please check.)

IMDG: 4.2 (For reference only, please check.)

IATA: 4.2 (For reference only, please check.)

Packing group, if applicable

ADR/RID: I (For reference only, please check.)

IMDG: I (For reference only, please check.)
IATA: I (For reference only, please check.)

Environmental hazards

ADR/RID: Yes

IMDG: Yes

IATA: Yes

Special precautions for user

no data available

Transport in bulk according to IMO instruments

no data available

SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

European Inventory of Existing Commercial Chemical Substances (EINECS)

Listed.

EC Inventory

Listed.

United States Toxic Substances Control Act (TSCA) Inventory

Listed.

China Catalog of Hazardous chemicals 2015

Listed.

New Zealand Inventory of Chemicals (NZIoC)

Not Listed.

PICCS

Listed.

Vietnam National Chemical Inventory

Listed.

IECSC

Listed.

Korea Existing Chemicals List (KECL)

Not Listed.

SECTION 16: Other information

Abbreviations and acronyms

CAS: Chemical Abstracts Service

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulation concerning the International Carriage of Dangerous Goods by Rail

IMDG: International Maritime Dangerous Goods

IATA: International Air Transportation Association

TWA: Time Weighted Average

STEL: Short term exposure limit

LC50: Lethal Concentration 50%

LD50: Lethal Dose 50%

EC50: Effective Concentration 50%

References

IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home

HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/

eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?

pageID=0&request_locale=en

CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

ChemlDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Disclaimer:

The information in this MSDS is only applicable to the specified product, unless otherwise specified, it is not applicable to the mixture of this product and other substances. This MSDS only provides information on the safety of the product for those who have received the appropriate professional training for the user of the product. Users of this MSDS must make independent judgments on the applicability of this SDS. The authors of this MSDS will not be held responsible for any harm caused by the use of this MSDS.